(ASX "RIM")

AGM Presentation November 2013

Darren Glover Exploration and Development Manager

John Kaminsky Executive Chairman Colin Plumridge Senior Geologist

SULLAR

22 November, 2013

Rimfire Pacific Mining - AGM 2013

Disclaimer

□ Disclaimer: This presentation contains "forward looking statements" as defined or implied in common law and within the meaning of the Corporations Law. Such forward looking statements may include, without limitation, (1) estimates of future capital expenditure; (2) estimates of future cash costs; (3) statements regarding future exploration results and goals. Where the Company or any of its officers or Directors or representatives expresses an expectation or belief as to future events or results, such expectation or belief is expressed in good faith and the Company or its officers or Directors or representatives as the case may be, believe to have a reasonable basis for implying such an expectation or belief. However, forward looking statements are subject to risks, uncertainties and other factors, which could cause actual results to differ materially from future results expressed, projected or implied by such forward looking statements. Such risks include, but are not limited to, commodity price fluctuation, currency fluctuation, political and operational risks, governmental regulations and judicial outcomes, financial markets and availability of key personnel. The Company does not undertake any obligation to publicly release revisions to any "forward looking statement", or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.

□ Competent Person Statement: The information in the report to which this statement is attached that relates to Exploration Results is compiled by Mr Colin Plumridge, who is a Member of The Australian Institute of Mining and Metallurgy, with over 40 years experience in the mineral exploration and mining industry. Mr Plumridge is employed by Plumridge & Associates Pty. Ltd. Mr Plumridge has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity, which is being undertaken to qualify as a Competent Persons as defined in the 2004 edition of the "Australian Code for Reporting of Mineral Resources and Ore reserves". Mr Plumridge consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.





Presentation Outline



Introduction and Corporate Update

Fifield Prospectivity – Correct Geological Setting

Recent Developments and Activity

Exploration Acceleration

Genetic Model and District Implications

Summary Position





Company Profile – 20th Nov 2013

Shares on Issue

- Placement and SPP 76M shares at 4.3 cents, Sept 2013, \$3.3M gross, 12% dilution
- 687M Ordinary FP

Market Cap. Approx. \$24M @3.5 cents

Share Price Movement

- 2012 High 9.3 cent (Oct), Low 2.5 cent
- 2013 High 7.5 cent (Jan), Low 3.0 cent (Nov)

Volume

- Feb-Sept approx. 407,000 shares/day
- Largest 5.3m shares/day

Shareholders Profile

- Management 9%
- Top 20 Holders 33%
- Top 100 Holders 63% (cut-off 1.35M shares)
- 2,095 shareholders

Cash Status 30 September 2013

• \$3.42m





Share Price Performance



Note: XKR is S&P/ASX 300 RESOURCES; XMR is S&P/ASX MIDCAP RESOURCES; XTR is S&P/ASX 100 RESOURCES



- Above average to indices
- Compare very well to exploration sector
- Gold and Silver Price decline 30%
- Exploration Sector major correction
- Market Cap is well placed ~top 200/760





Key Precious Metal Trends

Gold 2012



Silver 2012



- Major Corrections last 12 months
- Off the bottom just
- Bulls include Rick Rule, US-based resource investor, Chairman of SPROTT US HOLDINGS

Gold 2013



Silver 2013






rimfire

Key Precious Metal Trends - Platinum

Platinum 2012

Platinum 2013




- Corrections but less pronounced
- □ The pick of many analysts to outperform in 2014
- Good timing to investigate the Platina Lead residual grade






Project Location – East Lachlan Fold Belt





Project Locations






Rimfire Pacific Mining NL

- □ 6 Exploration Licenses,
- □ Contiguous tenement package,
- □ 313 square kms.
- □ 210Ha freehold land,
- □ Alluvial Gold 1880,
- □ Alluvial Platinum 1890,
- □ 20,000Oz Pt historical production.






Correct Geological Setting



- Crustal scale, long lived and re-activated LTZ NW faults.
- Interplay of second order north – south Gilmore Suture associated faults.
- Structural Intersections and;
- Deep seated Alaskan Ural fractionated intrusives into;
- Siluro-Devionian Rift-basin setting in the Back Arc of the Macquarie Arc.
- Significant history of alluvial gold and platinum production.
- Overlooked by Previous Explorers.



Geological Setting




- Crustal scale, long lived and re-activated LTZ NW faults.
- Interplay of second order north – south Gilmore Suture associated faults.
- □ Structural Intersections and;
- Deep seated Alaskan Ural fractionated intrusives into;
- Siluro-Devionian Rift-basin setting in the Back Arc of the Macquarie Arc.

Correct Geological Framework for a significant discovery.




Sorpresa Discovery (2007 – 2012)



- Gold in Rockchip, Soil and Auger drilling defines a curvilinear anomaly
 > 20ppb Au over a 1.7km strike.
- □ Trenching reveals near surface high grade Gold (9m @ 4.9g/t Au).
- Drilling defines high grade Au / Ag mineralisation within 5 structurally controlled pods along the gold anomaly.



Sorpresa Discovery (2007 – 2012)




- Gold in Rockchip, Soil and Auger drilling defines a curvilinear anomaly
 > 20ppb Au over a 1.7km strike.
- Trenching reveals near surface high grade Gold (9m @ 4.9g/t Au)
- Drilling defines high grade Au / Ag mineralisation within 5 structurally controlled shoots along the gold anomaly.

Yellow Outline > 0.2g/t Au Red Outline > 0.5g/t Au



Sorpresa Discovery (2007 – 2012)



- Gold in Rockchip, Soil and Auger drilling defines a curvilinear anomaly
 > 20ppb Au over a 1.5km strike.
- Trenching reveals near surface high grade Gold (9m @ 4.9g/t Au)
- Drilling defines high grade Au / Ag mineralisation within 5 structurally controlled shoots along the gold anomaly.
- Induced Polarization (I.P.) survey test line completed revealing chargeability and resistivity anomalies associated with the mineralisation.
- 5 hole Diamond Drill Program intersects Bonanza Gold and significant widths to mineralisation.

Yellow Outline > 0.2g/t Au Red Outline > 0.5g/t Au





Sorpresa – Significant Intersections

Gold

- □ 16m @ 5.32g/t Au
- 7m @ 4.24g/t Au
- □ 14m @ 24.4g/t Au
- **21m** @ 1.11g/t Au
- □ 13m @ 1.59g/t Au
- **30m @ 2.39g/t Au**
- □ 4m @ 21.9g/t Au
- 24m @ 2.17g/t Au
- Im @ 114g/t Au
- 16m @ 5.0g/t Au
- **9**m @ 3.41g/t Au

🛯 14m @ 21.9g/t Au

9m @ 4.9g/t Au (trench)

Silver

- 20m @ 81g/t Ag
- 20m @ 97.6g/t Ag
- □ 26m @ 155g/t Ag
- **20m @ 230g/t Ag**



- Two Australian Top 10 Gold intersections (2012)
- Pathfinder Association (Ag, As, Sb, Pb) allows real time XRF recognition
- Oxide and Primary high grade mineralisation.



Roadside

Old Sorpresa

Boundary Gate

Trench 31

Sorpresa – Significant Intersections

Fi 328 DDH




- □ Intersections across a ~1.5km strike,
- Mineralisation comes to surface,
- Mineralisation open in multiple directions,
- **Regional Strike extensions are <u>completely</u> un-explored**.





- Significant proportion of early exploration drilling utilized an inhouse RAB / Percussion Drill Rig.
- Flexibility,
- Ability to "Drill early, Drill often"
- Supplemented with Contractor RC and Diamond.






2012 - 13 Drilling Statistics	Holes	Metres
Auger Drilling	176	844
RAB / Percussion	269	6,266
Reverse Circulation	67	8,213
Diamond Drilling	5	1,403
Total	517	16,726

54% of all drilling undertaken at Sorpresa to date, has occurred this year.



Sorpresa Today



- Data compilation into Digital 3D GIS has been recently completed.
- Enabled visualization of mineralisation shapes, dips, orientation and revealed areas for immediate drill testing.
- Systematic RC Drilling commenced immediately at
 - □ Roadside,
 - Join-Up and
 - Boundary gate areas.
- Drilling is targeting extensions down dip, and down plunge to define the controls on high grades.
- Present targets identified to a <100m from surface threshold.</p>
- RC and RAB Drilling on-going.





Sorpresa – Roadside






- Discovery Gossan found in outcrop.
- Coincident I.P. Chargeability anomaly.
- Auger and Percussion drilling define and intersect high grade Silver / Gold mineralisation. Best intersections:
 - □ 16m @ 5.32g/t Au from 36m, and
 - **20m @ 81g/t Ag** from 34m (Fi 227)
 - □ 14m @ 24.4g/t Au from 26m, and
 - **26m @ 155g/t Ag** from 14m (Fi 212).
- RC drilling confirms mineralisation to approximately 140m down dip.
- Diamond Drilling confirms oxide mineralisation extends into the primary associated with massive to Semi-Massive Sulphides.
- Current RC drilling aiming at 40m x 40m and 40m x 60m step – outs down dip, and down plunge.
- Drilling in progress.




Sorpresa - Roadside



Au/Ag shoot displays a consistent 19 degree dip to the East
 Ag / Au shoot dips 50 degrees to the East.




Sorpresa - Roadside



Silver dominant Roadside North shoot displays highly encouraging broad 15 –
 20m mineralized envelope, with remarkably consistent 50 degree dip.








Looking West Yellow > 0.2g/t Au Red > 0.5g/t Au Silver model @ >31g/t Ag

- Current RC drilling at 40m x 40m to 40m x 60m down dip spacing.
- Open-ended Drill Program real time Fp XRF results, instant 3D modelling enabling on the fly follow-up drill design and execution.
- Early Fp XRF encouragement. Results Awaited.







High grade Gold Dominant Shoots of mineralisation identified in soil sampling and auger drilling.

Curvilinear orientation, interpreted as Listric faults.




Bouger Gravity Image, 5 mgal contours






- High grade Gold Dominant Shoots of mineralisation identified in soil sampling and auger drilling.
- Curvilinear orientation, interpreted as Listric faults.
- Mineralized Shoots can display significant thickness plus evidence for very high grade.
- Traversed by interpreted NW trending (LTZ) orientated faults.
- Variable Dip to mineralisation.






- High grade Gold Dominant Shoots of mineralisation identified in soil sampling and auger drilling.
- Curvilinear orientation, interpreted as Listric faults.
- Mineralized Shoots can display significant thickness plus evidence for very high grade.
- Traversed by interpreted NW trending (LTZ) orientated faults.
- Variable Dip to mineralisation.







- High grade Gold Dominant Shoots of mineralisation identified in soil sampling and auger drilling.
- Curvilinear orientation, interpreted as Listric faults.
- Mineralized Shoots can display significant thickness plus evidence for very high grade.
- Traversed by interpreted NW trending (LTZ) orientated faults.
- Variable Dip to mineralisation.
- First Phase RC Drilling recently completed.
- Results Awaited.







Sorpresa – Regional Extensions




- Currently defined high grade Sorpresa shoots largely subcrop.
- Discovery via Soil sampling and Auger Drilling.
- Extensions to the North and South are masked by thin cover (<10m).</p>
- Exploration in these areas in minimal, to non – existent!

> 9ppb Au contour



Sorpresa – Regional Extensions




- Currently defined high grade Sorpresa shoots largely subcrop.
- Discovery via Soil sampling and Auger Drilling.
- Extensions to the North and South are masked by thin cover (<10m).</p>
- Exploration in these areas in minimal, to non – existent!
- Northern Strike potential inferred in Aeromagnetic Images.

> 9ppb Au contour



Sorpresa – Regional Extensions



- Currently defined high grade Sorpresa shoots largely subcrop.
- Discovery via Soil sampling and Auger Drilling.
- Extensions to the North and South are masked by thin cover (<10m).</p>
- Exploration in these areas in minimal, to non – existent!
- Northern Strike potential inferred in Aeromagnetic Images.
- Southern Strike extensions inferred by detailed Gravity and recent RAB drilling
- RAB Drilling is on-going.

> 9ppb Au contour



Sorpresa - Regional Extensions

Twin Shafts

- Significant historical workings on the Sorpresa Trend,
- Estimated 46m deep,
- Steep dip 80 degrees to the North East,
- Evidence for stopeing at depth,
- UWorkings strike up to 120m.
- Anomalous rock chip samples
 ~160m along strike up to 0.9g/t Au.

UN-DRILLED

Priority Walk-up Drill target.





- Emerging Prospect portfolio of 10 variably defined Regional targets.
- Mixture of grassroots and walk-up drill targets.
- Recent appointment of a dedicated Principal Geologist to define, advance and prioritize targets.
- New round of target generation set to commence utilizing "Old" and "New" eyes!
- Multiple deposit styles including:
- Porphyry Au-Cu in North Parkes host rocks (Yeo's Lookout).
- Eclispse and Eclispe North (VHMS?).
- Orogenic Gold?




Rimfire Geologist, Denis Walsh





Rimfire District Targets







Summary & Exploration Acceleration

- Prospective, contiguous 313km² ground holding on the Lachlan Transverse Zone, - The Correct Geological address.
- Disciplined acceleration of activity on multiple fronts across Sorpresa.
 - Concurrent Diamond, RC, RAB, and Auger drilling.
 - Targets defined, Drilling on-going, clear strategy adopted and implemented.
 - Management Support.
 - New systems designed, implemented and operational.
- Systematic and staged approach for "Discovery Growth".
- Continued acquisition and refinement of multidisciplinary data sets including geophysics and multi-element geochemistry.
- Dedicated Regional Exploration team, generating and advancing a strong project pipeline.

"A Team and Strategy for significant progress"




Sorpresa – Fifield Gold-Silver

What puts Fifield on the radar for large mining companies?

- □ There are no firm geological limits to the ultimate size of the Greater Sorpresa Field
- Sorpresa geology took a big step forward with the diamond drilling programme. It is now possible to see Sorpresa as another example of the Carbonate-base metal mineralisation model as presented by Greg Corbett.
- The carbonate-base metal mineralisation model has a connection to porphyry goldcopper mineralisation
- Examples of important carbonate-base metal mineralisation include Lake Cowal, Porgera and also Cripple Ck in the USA (Corbett).
- Sorpresa sits above exceptional fault systems that channel intrusives from great depth to near surface. Gold-silver and platinum associated intrusives.
- Platinum geology has also advanced with the Sorpresa diamond drill program.



Where Sorpresa sits in a Conceptual Model



Conceptual model for varying arc style porphyry and epithermal Cu-Au-Ag mineralisation (Corbett, 2007)





Big Structures in NSW




Figure 15.1 Location of major mineral deposits, Lachlan Fold Belt in New South Wales (slightly modified from Suppel & Scheibner 1995, fig. 8). Figures in brackets refer to the metallogenic associations of Suppel and Scheibner (1995) Rimfire have added big structures to this published map



Reasons to Support Rimfire...

Healthy financial position (Cash and Market Cap),

Countercyclical Strategy – Do more work in tough times – Stand out,

A track record of High Grade intersections,

Excellent team assembled at Fifield, building on a strong foundation,

Ongoing programs at Sorpresa – "discovery growth" towards a resource,

Discovery pipeline for the Greater Sorpresa Area 8km² and beyond,

□ Favourable Geological Model – Carbonate Base Metal Epithermal Au,

□ Platina Lead Bulk Sampling – a small mining target window for Platinum,

- □ Knowledge gained on the Platinum system via Sorpresa work
- □ Investor Relations partner to communicate regular News-flow to a wider audience.





Thank You



www.rimfire.com.au

